

RECEIVED

JAN 03 2001 Sheet 1 of 3

Date Mailed: December 11, 2001

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEINFORMATION DISCLOSURE STATEMENT
BY APPLICANT

ATTY. DOCKET NO.

7933.208USU1

Application No.:

RECEIVED
09/804,866

DEC 31 2001

APPLICANT

CHU et al.

GROUP 3600

FILING DATE

March 13, 2001

GROUP ART UNIT:

1642 1631



(Use several sheets if necessary)

RECEIVED

DEC 27 2001

TECH CENTER 1600/2900

U.S. PATENT DOCUMENTS

EXAMINER'S INITIALS	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPLICABLE

FOREIGN PATENT DOCUMENTS

DOCUMENT	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

Alexander, A.J.; Thibault, P.; Boyd, R.K.; Curtis, J.M.; Rinehart, K.L., "Collision Induced Dissociation of Peptide Ions", *Int. J. Mass Spectrom. Ion Processes*, 1990, 98, 107-134.

Ambihapathy, K.; Yalcin, T.; Leung, H.-W.; Harrison, A.G., "Pathways to Immonium Ions in the Fragmentation of Protonated Peptides", *J. Mass Spectrom.*, 1997, 32, 209-215.

Bouchonnet, S.; Hoppilliard, Y., "Proton and Sodium Ion of Affinities of Glycine and Its Sodium Salt in the Gas Phase. *Ab Initio* Calculations", *Org. Mass Spectrom.*, 1992, 27, 71-76.

Burlet, O.; Orkiszewski, R.S.; Ballard, K.D.; Gaskell, S.J., "Charge Promotion of Low-energy Fragmentations of Peptide Ions", *Rapid Commun. Mass Spectrom.*, 1992, 6, 658-662.

Cantor, C.R.; Schimmel, P.R., "Part 1: The Conformation of Biological Macromolecules", *Biophysical Chemistry*, W.H. Freeman and Co.: San Francisco, 1980, 275-307.

Chu, I.K.; Guo X.; Lau, T.-C.; Siu, K.W.M., "Sequencing of Argintated Peptides by Means of Electrospray Tandem Mass Spectrometry", *Anal. Chem.*, 1999, 71, 2364-2372.

Cox, K.A.; Gaskell, S.J.; Morris, M.; Whiting, A., "Role of the Site of Protonation in the Low-Energy Decompositions of Gas-Phase Peptide Ions", *J. Am. Soc. Mass Spectrom.*, 1996, 7, 522-531.

Dawson, P.H.; French, J.B.; Buckley, J.A.; Douglas, D.J.; Simmons, D., "The Use of Triple Quadrupoles for Sequential Mass Spectrometry 1-The Instrument Parameters", *Org. Mass Spectrom.*, 1982, 17, 205-211.

Dawson, P.H.; French, J.B.; Buckley, J.A.; Douglas, D.J.; Simmons, D., "The Use of Triple Quadrupoles for Sequential Mass Spectrometry 2-A Detailed Case Study", *Org. Mass Spectrom.*, 1982, 17, 212-217.

Deng, H.; Kebarle, P.J., "Binding Energies of Silver Ion-Ligand, L, Complexes AgL₂⁺ Determined from Ligand-Exchange Equilibria in the Gas Phase", *Phys. Chem. A* 1998, 102, 571-579.


Dongré, A.R.; Somogyi, Á.; Wysocki, V.H., "Surface-induced Dissociation: An Effective Tool to Probe Structure, Energetics and Fragmentation Mechanisms of Protonated Peptides", *J. Mass Spectrom.*, 1996, 31, 339-350.

Dongré, A.R.; Jones, J.L.; Somogyi, Á.; Wysocki, V.H., "Influence of Peptide Composition, Gas-Phase Basicity, and Chemical Modification on Fragmentation Efficiency: Evidence for the Mobile Proton Model", *J. Am. Chem. Soc.*, 1996, 118, 8365-8374.

Edman, P., "Sequence Determination", *Mol. Biol. Biochem. Biophys.*, 1970, 8, 211-255.

Fenn, J.B.; Mann, M.; Meng, C.K.; Wong, S.F.; Whitehouse, C.M., "Electrospray Ionization for Mass Spectrometry of Large Biomolecules", *Science*, 1989, 246, 64-71.

5/23/03

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT	ATTY. DOCKET NO. 7933.208USU1	Application No.: RECEIVED 09/804,866 JAN 03 2001
 (Use several sheets if necessary)	APPLICANT CHU et al.	
	FILING DATE March 13, 2001	GROUP ART UNIT: 1642

Figgs, D.; van Oostveen, I.; Ducret A.; Aebersold, R., Protein Identification by Capillary Zone Electrophoresis/Microelectrospray Ionization-Tandem Mass Spectrometry at the Subfemtomole Level", *Anal. Chem.* 1996, 68, 1822-1828.

Grese, R.P.; Cerny, R.L.; Gross, M.L., "Metal Ion-Peptide Interactions in the Gas Phase: A Tandem Mass Spectrometry Study of Alkali Metal Cationized Peptides", *J. Am. Chem. Soc.*, 1989, 111, 2835-2842.

Grese, R.P.; Cerny, R.L.; Gross, M.L., "Gas-Phase Interactions of Lithium Ions and Dipeptides", *J. Am. Chem. Soc.*, 1990, 112, 5089-5104.

Hu, P.; Gross, M.L., "Strong Interactions of Anionic Peptides and Alkaline Earth Metal Ions: Metal-Ion-Bound Peptides in the Gas Phase", *J. Am. Chem. Soc.*, 1992, 114, 9153-9160.

Hu, P.; Gross, M.L., "Gas-Phase Anionic Complexes of Alkali Metal Ions and Peptides: Structure and Collision Activated Decompositions", *J. Am. Soc. Mass Spectrom.*, 1993, 5, 137-143.

Hu, P.; Gross, M.L., "Gas-Phase Interactions of Transition-Metal Ions and Di- and Tripeptides: A comparison with Alkaline-Earth-Metal-Ion Interactions", *J. Am. Chem. Soc.*, 1993, 115, 8821-8828.

Hunt, D.F.; Yates, J.R., III; Shabanowitz, J.; Winston, S.; Hauer, C.R., "Protein sequencing by tandem mass spectrometry", *Proc. Natl. Acad. Sci.*, 1986, 83, 6233-6237.

Johnson, R.S.; Martin, S.A.; Bieman, K., "Collision-Induced Fragmentation of (M+H)⁺ Ions of Peptides. Side Chain Specific Sequence Ions", *Int. J. Mass Spectrom. Ion Processes*, 1988, 86, 137-154.

Jones, J.L.; Dongré, A.R.; Somogyi, Á.; Wysocki, V.H., "Sequence Dependence of Peptide Fragmentation Efficiency Curves Determined by Electrospray Ionization/Surface-Induced Dissociation Mass Spectrometry", *J. Am. Soc. Chem.*, 1994, 116, 8368-8369.

Klassen, J.S.; Anderson, S.G.; Blades, A. T.; Kebarle, P., "Reaction Enthalpies for M⁺L = M⁺ + L, Where M⁺ = Na⁺ and K⁺ and L = Acetamide, N-Methylacetamide, N, N-Dimethylacetamide, Glycine, and Glycylglycine, from Determinations of the Collision-Induced Dissociation Thresholds", *J. Phys. Chem.* 1996, 100, 14218-14227.

Leary, J. A.; Williams, T.D.; Bott, G., "Strategy for Sequencing Peptides as Mono- and Dilithiated Adducts Using a Hybrid Tandem Mass Spectrometer", *Rapid Commun. Mass Spectrom.*, 1989, 3, 192-196.

Leary, J.A.; Zhou, Z.; Ogden, S.A.; Williams, T.D., "Investigations of Gas-Phase Lithium-Peptide Adducts: Tandem Mass Spectrometry and Semiempirical Studies", *J. Am. Soc. Mass Spectrom.*, 1990, 1, 473-480.

Lee, S.-W.; Kim, H.S.; Beauchamp, J.L., "Salt Bridge Chemistry Applied to Gas-Phase Peptide Sequencing: Selective Fragmentation of Sodiated Gas-Phase Peptide Ions Adjacent to Aspartic Acid Residues", *J. Am. Chem. Soc.*, 1998, 120, 3188-3195.

Lee, V.W.-M.; Li, H.; Lau, T.-C.; Guevremont, R.; Siu, K.W.M., "Relative Silver(I) Ion Binding Energies of α -Amino Acids: A Determination by Means of the Kinetic Method", *J. Am. Soc. Mass Spectrom.*, 1998, 9, 760-766.

Lee, V.W.-M.; Li, H.; Lau, T.-C.; Siu, K.W.M., "Structures of b and a Product Ions from the Fragmentation of Argentinated Peptides", *J. Am. Chem. Soc.*, 1998, 120, 7302-7309.

Li, H.; Siu, K.W.M.; Guevremont, R.; Le Blanc, J.C.Y., "Complexes of Silver(I) With Peptides and Proteins as Produced in Electrospray Mass Spectrometry", *J. Am. Soc. Mass Spectrom.* 1997, 8, 781-792.

Matsudaira, P., Ed. *A Practical Guide to Protein and Peptide Purification for Microsequencing*, 2nd ed.; Academic Press: San Diego, 1993; pp 37-39.

McCormack, A.L.; Somogyi, Á.; Dongré, A.R.; Wysocki, V.H., "Fragmentation of Protonated Peptides: Surfaces-Induced Dissociation in Conjunction with a Quantum Mechanical Approach", *Anal. Chem.*, 1993, 65, 2859-2872.

MWB

5/23/03

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO.


Application No.:

7933.208USU1

INFORMATION DISCLOSURE STATEMENT
BY APPLICANT

RECEIVED

(Use several sheets if necessary)



RECEIVED

DEC 27 2001

TECH CENTER 1600/2900

APPLICANT

JAN 03 2001

CHU et al.

TECH CENTER 1600/2900

FILING DATE

March 13, 2001

GROUP ART UNIT:

1642

McLafferty, F.W., "Tandem Mass Spectrometry", *Science*, 1981, 214, 280-287.Narula, S.S.; Mehra, R.K.; Winge, D.R.; Armitage, I.M., "Establishment of the Metal-to-Cysteine Connectivities in Silver-Substituted Yeast Metallothionein", *J. Am. Chem. Soc.*, 1991, 113, 9354-9358.Nold, M.J.; Wesdemiotis, C.; Yalcin, T.; Harrison, A.G., "Amide bond dissociation in protonated peptides. Structures of the N-terminal ionic and neutral fragments", *Int. J. Mass Spectrom. Ion Processes*, 1997, 164, 137-153.Papayannopoulos, I.A., "The Interpretation of Collision-Induced Dissociation Tandem Mass Spectra of Peptides", *Mass Spectrom. Rev.*, 1995, 14, 49-73.Renner, D.; Spiteller, G., "Linked Scan Investigation of Peptide Degradation Initiated by Liquid Secondary Ion Mass Spectrometry", *Biol. Environ. Mass Spectrom.*, 1988, 15, 75-77.Shevchenko, A.; Jensen, O.N.; Podtelejnikov, A.V.; Sagliocco, F.; Wilm, M.; Vorm, O.; Mortensen, P.; Shevchenko, A.; Boucherie, H.; Mann, M., "Linking genome and proteome by mass spectrometry: Large-scale identification of yeast proteins from two dimensional gels", *Proc. Natl. Acad. Sci. U.S.A.*, 1996, 93, 14440-14445.Smith, R.D.; Loo, J.A.; Ogorzalek Loo, R.R.; Busman, M.; Udseth, H.R., "Principles and practice of electrospray ionization-mass spectrometry for large polypeptides and proteins", *Mass Spectrom. Rev.*, 1991, 10, 359-451.Stillman, M.J.; Presta, A.; Gui, Z.; Jiang, D.-T., *Metal-Based Drugs*; Gielen, M., Ed.; Freund: London, 1994; Vol.1, 375-393.Summerfield, S.G.; Whitting, A.; Gaskell, S.J., "Intra-ionic interactions in electrosprayed peptide ions", *Int. J. Mass Spectrom. Ion Processes*, 1997, 162, 149-161.Tang, X.; Ens, W.; Standing, K.G.; Westmore, J.B., "Daughter Ion Mass Spectra from Cationized Molecules of Small Oligopeptides in a Reflecting Time-of-Flight Mass Spectrometer", *Anal. Chem.*, 1988, 60, 1791-1799.Tang, X.-J.; Thibault, P.; Boyd, R.K., "Fragmentation Reactions of Multiply-Protonated Peptides and Implications for Sequencing by Tandem Mass Spectrometry with Low-Energy Collision-Induced Dissociation", *Anal. Chem.*, 1993, 65, 2824-2834.Teesch, L.M.; Adams, J., "Intrinsic Interactions between Alkaline-Earth Metal Ions and Peptides: A Gas-Phase Study", *J. Am. Chem. Soc.*, 1990, 112, 4110-4120.Teesch, L.M.; Adams, J., "Fragmentation of Gas-Phase Complexes between Alkali Metal Ions and Peptides: Metal Ion Binding to Carbonyl Oxygens and Other Neutral Functional Groups", *J. Am. Chem. Soc.*, 1991, 113, 812-820.Teesch, L.M.; Orlando, R.C.; Adams, J., "Location of the Alkali Metal Ion in Gas-Phase Peptide Complexes", *J. Am. Chem. Soc.*, 1991, 113, 3668-3675.Wilm, M.S.; Mann, M., "Electrospray and Taylor-Cone theory, Dole's beam of macromolecules at last?", *Int. J. Mass Spectrom. Ion Proc.*, 1994, 136, 167-180.Yalcin, T.; Khouw, C.; Csizmadia, I.G.; Peterson, M.R.; Harrison, A.G., "Why Are B Ions Stable Species in Peptide Spectra?", *J. Am. Soc. Mass Spectrom.*, 1995, 6, 1165-1174.Yalcin, T.; Csizmadia, I.G.; Peterson, M.R.; Harrison, A.G., "The Structure and Fragmentation of B_n (n ≥ 3) Ions in Peptide Spectra", *J. Am. Soc. Mass Spectrom.*, 1996, 7, 233-242.Zhao, H.; Reiter, A.; Teesch, L.M.; Adams, J., "Gas-Phase Fragmentations of Anionic Complexes between Peptides and Alkaline Earth Metal Ions: Structure-Specific Side-Chain Interactions", *J. Am. Chem. Soc.*, 1993, 115, 2854-2863.

EXAMINER:

DATE CONSIDERED 5/23/03

EXAMINER: Initial if citation not considered, whether or not citation is in conformance with MPEP 609; draw Line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.